
Confirms to OSHA Hazard Communication Standard (CFR 29 1910.1200) HazCom 2012



Revision Date: 01-Mar-2017

MICRO-SCIENTIFIC

## **SECTION 1 – IDENTIFICATION**

Product Identifier Product Name:	Opti-Cide Max Disinfectant Cleaner		
Product Code:	M60035, M60036		
Recommended Use of the Chemical and Restrictions for Use			
Recommended Use:	Cleaner, Disinfectant, Deodorizer		
<b>Restrictions for Use:</b>	Use only as directed.		
Details of the Supplie	<u>r</u>		
Manufacturer:	Micro-Scientific, LLC		
	755 Tri-State Parkway		
	Gurnee, IL 60031		
	1-888-253-2536		
Emergency Phone Nu	mber		

24-Hour Number:	1-800-535-5053
International:	1-352-323-3500

## **SECTION 2 – HAZARDS IDENTIFICATION**

## **Classification**

Hazard Class	Category
Flammable liquid	3
Eye irritation	2B
Acute toxicity- inhalation	4
Specific target organ toxicity (single exposure)	3

#### Label Elements

#### Hazard Symbols(s):



#### Signal Word(s): Warning

Hazard Statement(s): Flammable liquid and vapor. May cause drowsiness or dizziness. Harmful if inhaled. Causes eye irritation.

**Precautionary Statement(s):** Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion proof electrical/ventilating/lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Use only outdoors or in a well-ventilated area. Wear protective gloves/eye protection/face protection. Avoid breathing dust/fume/gas/mist/vapors/spray. Wash hands thoroughly after handling. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. If inhaled: Remove person to fresh air and keep comfortable for breathing. Call a poison control center/doctor if you feel unwell. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. Store in a well-ventilated place. Keep cool. Keep container tightly closed. Store locked up. Dispose of contents/containers in accordance with all local, regional, national, and international regulations.

## **Other Hazards**

None known.

SECTION 3 – COMPOSITION / INFORMATION ON INGREDIENTS			
Chemical Name	CAS Number	Wt %	
Isopropyl alcohol	67-63-0	<15	

Confirms to OSHA Hazard Communication Standard (CFR 29 1910.1200) HazCom 2012

#### Product: Opti-Cide Max Disinfectant Cleaner- M60035, M60036

Revision Date: 01-Mar-2017

	4-17-5	<10
2-Butoxyethanol 11	11-76-2	<5

The exact percentage (concentration) of composition has been withheld as a trade secret in accordance with paragraph (i) of §1910.1200.

## **SECTION 4 – FIRST AID MEASURES**

#### First Aid Measures

**Inhalation:** If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER/doctor/physician if you feel unwell.

**Eye Contact:** In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. If easy to do, remove contact lenses, if worn. Continue rinsing. If irritation persists, get medical attention.

**Ingestion:** If swallowed, do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Get medical advice/attention if you feel unwell.

**Skin:** In case of contact, immediately flush skin with plenty of water. Remove contaminate clothing and shoes. Wash clothing before reuse. Call a physician if irritation develops and persists.

#### Most Important Symptoms and Effects (Acute and Delayed)

Inhalation: Vapors may cause drowsiness and dizziness. May cause respiratory tract irritation.

**Eye Contact:** Causes eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with marked redness and swelling of the conjunctiva.

Ingestion: May be harmful if swallowed. May cause stomach distress, nausea or vomiting.

Skin: May cause skin irritation. Symptoms may include redness, drying, defatting and cracking of the skin.

#### Indication of any Immediate Medical Attention and Special Treatment Needed

Note to Physician: Treat symptomatically.

## **SECTION 5 – FIRE FIGHTING MEASURES**

## **Extinguishing Media**

Suitable: Water fog, carbon dioxide, dry chemical or alcohol foam.

Unsuitable: None known.

## Specific Hazards Arising from Chemical

Products of combustion include but are not limited to: oxides of carbon.

#### **Protective Equipment and Precautions for Firefighters**

Keep upwind of fire. Wear full fire fighting turn-out gear (full Bunker gear) and respiratory protection (SCBA).

## SECTION 6 – ACCIDENTAL RELEASE MEASURES

#### Personal Precautions, Protective Equipment, and Emergency Procedures

**Personal Precautions:** Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel. Eliminate sources of ignition.

Environmental Precautions: See Section 12 for ecological information.

#### Methods and Material for Containment and Cleaning Up

Contain and/or absorb spill with inert material (e.g. sand, vermiculite), then place in a suitable container. Do not flush to sewer or allow to enter waterways. Use appropriate Personal Protective Equipment (PPE). Scoop up material and place in a disposal container. Provide ventilation.

## **SECTION 7 – HANDLING AND STORAGE**

#### Precautions for Safe Handling

Handling: Keep away from sources of ignition. No smoking. Take precautionary measures against static discharge. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapors/spray. Do not swallow. Handle and open container

Confirms to OSHA Hazard Communication Standard (CFR 29 1910.1200) HazCom 2012

**Product:** Opti-Cide Max Disinfectant Cleaner- M60035, M60036

Revision Date: 01-Mar-2017

MICRO-SCIENTIFIC

with care. When using do not eat, drink or smoke. Use only non-sparking tools. Use only outdoors or in well-ventilated area.

General Hygiene Advice: Launder contaminated clothing before use. Wash hands before eating, drinking, or smoking.

## Conditions for Safe Storage, Including any Incompatibilities

**Storage Conditions:** Proper grounding procedures to avoid static electricity should be followed. Keep locked up and out of the reach of children. Keep container tightly closed and in a well-ventilated place. Keep cool.

#### Incompatible Materials: Oxidizers.

## **SECTION 8 – EXPOSURE CONTROLS/PERSONAL PROTECTION**

#### **Control Parameters**

#### Exposure Guidelines:

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Isopropyl alcohol (67-63-0)	400 ppm (STEL)	400 ppm (TWA)	2000 ppm (IDLH)
Ethanol (64-17-5)	1000 ppm (STEL)	1000 ppm (TWA)	3300 ppm (IDLH)
2-Butoxyethanol (111-76-2)	20 ppm (TWA)	50 ppm	Not available

## Appropriate Engineering Controls

Use ventilation adequate to keep exposures (airborne levels of dust, fume, vapor, etc.) below recommended exposure limits.

#### Individual Protection Measures

**Respiratory Protection:** In case of insufficient ventilation, wear suitable respiratory equipment. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

Skin and Body Protection: Wear suitable protective clothing.

**Eye/Face Protection:** Wear approved eye protection (properly fitted dust- or splash-proof chemical safety goggles) and face protection (face shield).

**General Work/Hygienic Practices:** Handle in accordance with good industrial hygiene and safety practice. Do not eat, smoke or drink where material is handled, processed or stored. Wash hands carefully before eating or smoking. Handle according to established industrial hygiene and safety practices.

## **SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES**

Appearance: Colorless liquid

Odor: Alcohol-like

Odor threshold: Not determined

**pH:** 11.8

Melting point/freezing point: Not determined

Initial boiling point and boiling range: Not determined

Flash point: 31.5°C (88.7°F) TCC

Evaporation rate: Not determined

Flammability (solid, gas): Flammable

Upper/lower flammability or explosive limits: Not determined

Vapor pressure: Not determined

Vapor density: Not determined

Relative density: 0.97

Solubility(ies): Not determined

Partition coefficient (n-octanol/water): Not determined

Auto-ignition temperature: Not determined

Decomposition temperature: Not determined

Confirms to OSHA Hazard Communication Standard (CFR 29 1910.1200) HazCom 2012

Product: Opti-Cide Max Disinfectant Cleaner- M60035, M60036

**MICRO-SCIENTIFIC** 

Revision Date: 01-Mar-2017

Viscosity: Not determined

## **SECTION 10 – STABILITY AND REACTIVITY**

Reactivity: Not reactive under normal conditions.

Chemical stability: Stable under recommended storage conditions. May form flammable/explosive vapor-air mixture.

Possibility of hazardous reactions: None under normal use.

Conditions to avoid: Heat. Incompatible materials. Sources of ignition.

Incompatible materials: Oxidizers.

Hazardous decomposition products: May include and are not limited to: oxides of carbon.

## **SECTION 11 - TOXICOLOGICAL INFORMATION**

## Information on Toxicological Effects

Likely Routes of Exposure: Inhalation, skin contact, eye contact, ingestion

#### Information Related to Physical, Chemical, and Toxicological Effects

See section 4 of this SDS.

## Delayed and Immediate Effects as well as Chronic Effects from Short and Long-term Exposure

Carcinogenicity: NTP: No IARC: No OSHA: No

## Numerical Measures of Toxicity

Product		
ATE (oral)	>2000 mg/kg, rat	
ATE (dermal)	>2000 mg/kg, rabbit	
ATE (inhalation)	3 mg/l/4h, rat	

#### Component Information:

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Isopropyl alcohol (67-63-0)	4396 mg/kg (rat)	12800 mg/kg (rat)	72.6 mg/l/4h (rat)
Ethanol (64-17-5)	>5000 mg/kg (rat)	>5000 mg/kg (rabbit)	>20 mg/l/4h (rat)
2-Butoxyethanol (111-76-2)	1300 mg/kg (rat)	>2000 mg/kg (rat)	>3.7 mg/l/4h (rat)

## **SECTION 12 - ECOLOGICAL INFORMATION**

Ecotoxicity: Not established

Persistence and degradability: Not established

Bioaccumulative potential: Not established

Mobility in soil: No additional information available

Other adverse effects: No additional information available.

#### SECTION 13 – DISPOSAL CONSIDERATIONS

See section 8 of this SDS for exposure controls and personal protection.

Dispose of the product and container in accordance with all applicable local, state, and federal regulations. The generation of waste should be avoided or minimized whenever possible. Handle empty containers with care because residual vapors are flammable.

## **SECTION 14 – TRANSPORT INFORMATION**

**Note:** Classification changes based on quantity, packaging, and method of shipment. See current shipping paper for most up to date shipping information.

UN1987, Alcohols, 3, PG III

DOT (Ground): Not regulated (49 CFR § 173.150(e)(2))

Confirms to OSHA Hazard Communication Standard (CFR 29 1910.1200) HazCom 2012

Product: Opti-Cide Max Disinfectant Cleaner- M60035, M60036

## IATA (Air): Regulated

**IMDG (Vessel):** Regulated (Greater than 5 liters otherwise limited quantity)

## **SECTION 15 – REGULATORY INFORMATION**

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label.

## CAUTION

Harmful if inhaled or absorbed through skin.

Causes moderate eye irritation.

Avoid breathing vapors, and contact with eyes, skin, or clothing.

Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco.

Remove contaminated clothing and wash clothing before reuse.

Do not use or store near heat or open flame.

All ingredients in this product are listed or are excluded from listing on the US Toxic Substances Act (TSCA) Chemical Substance Inventory.

## **SARA 313**

This product contains chemicals which are subject to the reporting requirements of the Superfund Amendments and Reauthorization Act and Title 40 of the Code of Federal Regulations, Part 372. Chemicals: Isopropanol and Butoxyethanol.

## **SECTION 16 – OTHER INFORMATION**

Issue Date: 01-Mar-2017

#### Revision Date: 01-Mar-2017

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information, and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal, and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designed and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

#### End of Safety Data Sheet

MICRO-SCIENTIFIC

Revision Date: 01-Mar-2017